



What is Fildena 150mg?

Fildena 150mg consists of active key ingredients such as sildenafil, and sildenafil citrate, and the inactive ingredients are microcrystalline cellulose, anhydrous dibasic calcium phosphate, lactose, etc. [Fildena 150mg](#) is a generic medicine. It comes under a different brand name consisting of the same compositions just different strengths. The brand names are Sildenafil and Viagra. The approval was in 1996 and for medical purposes by the [FDA](#) which is the Food Drugs and Administration was on 27 March 1998. Fildena 150 mg is an oral drug that is used for treating ED erectile dysfunction or commonly known as impotence. ED is nothing but an inability to sustain an erection in bed. Fildena 150mg is available in the form of injections and tablets.

What are The Uses of Fildena 150mg?

- **Erectile dysfunction**

Fildena 100mg is to treat erectile dysfunction or impotence in males wherein the person is not able to sustain or keep an erection for a longer time while having sex with the partner.

- **Antidepressant sexual impotence**

There are chances that a Fildena 150 mg tablet may assist males who are suffering from antidepressant-induced erectile dysfunction. The symptoms are low libido, vaginal dryness, and erectile dysfunction. Research also says that the person might feel difficult to have an orgasm or be completely unable to have an orgasm.

- **Pulmonary hypertension**

Pulmonary hypertension comes under the category of high blood pressure that influences arteries in the lungs of the right side of the heart. The symptoms you might feel are pain in the chest areas, complete body pain, dizziness, fatigue, low blood pressure, unable to practice excessively, and cyanosis.

- **Raynaud's syndrome**

When some parts of the body feel numb. When the small artery supplies blood to the skin excessively and responds to cool, limiting the supply of blood to the affected areas is known as the Raynaud's phenomenon. For example: putting your hand in ice water, taking something from the freezer, or cold air, etc. Therefore, Fildena assists in lessening the frequency of vasospastic episodes. Moreover, this medication also treats severe ischemia and ulcers in fingers and secondary Raynaud's syndrome.

- **HAPE**

High-altitude Pulmonary Edema is said when the blood vessels in the lungs squeeze together and increase the pressure. You might experience some symptoms such as coughing, difficulty in breathing and walking, unable to perform any activity, etc. Therefore, this results in the leaking of the fluid in the blood vessels to the lungs. During this time, it goes into the air sacs.

What Happens When Fildena 150mg Tablet Interacts with your Body?

When Fildena 150mg tablet interacts with the human body system, [Sildenafil](#) and Sildenafil Citrate act as a protector to cyclic guanosine monophosphate (cGMP) from being degraded by particular phosphodiesterase type 5 (PDE5) in the corpus cavernosum. The nitric oxide that is present in the

corpus of the phallus (penis) helps in combining the guanylate cyclase receptors which further results in increasing the levels of cGMP, therefore further leading to effortless smoothing of muscles and relaxing of the intimal cushions of the helicine arteries. Moreover, Fildena 150 mg tablets lead to relaxing vasodilation by enhancing the blood flow in the spongy tissues of the phallus, which results in an erection and helps males sustain it.

How Long Does Fildena 150mg Last and Work?

Fildena 150mg tablet's half-life lasts for about four hours maximum and a minimum of two hours. Therefore, the sildenafil agents in the bloodstream of the body start reducing by every four hours. Fildena 150 mg tablets take about 30 minutes to interact with the human body system and start working. However, the working speed of Fildena 150 mg starts reducing after two hours. Different brands work differently, therefore Fildena 150mg is effective and its working speed is quick and effective.

When and How to Take Fildena 150mg Tablet?

Professional doctors recommend not taking more than one tablet at a time or for the next 24 hours. Fildena 150mg is a tablet that can be taken with a meal or on an empty stomach as per a doctor's direction. It works effectively because food does not affect the strength of the drug. Doctors suggest taking one tablet whole at one time with enough water which is 8 ounces. Do not try to split the tablet into two or chew it, crush it, or dissolve it in water. Expert doctors always suggest not administering alcohol or other high caffeinated beverages and nicotine products like tobacco as it can affect your body adversely.

Fildena 150mg is a tablet suggested to take an hour before you plan to get into any sexual activity because it takes an hour or sometimes even more time to react with your body. The amount of time it takes to work in the human body differs from person to person. Fildena 150mg lasts for about 4 to 5 hours. Therefore, consumption of Fildena 150 mg is not itself enough to create or function erection in your body, it needs to be aroused by your partner.

What if you Miss a Dose of Fildena 150mg?

Administration of medicines must be according to a proper time and table, nevertheless, if you forget to take your medication on time then expert doctors suggest consuming the dose you have missed as soon as possible. But you may remember your dose at the time of your next then avoid that dose and do not double it. Continue with your normal dosing pattern. You may consult your doctor as well if needed.

What Happens When you Overdose on Fildena 150mg?

Improper use of Fildena 150mg can result in effects like priapism, and a persistent and painful erection. Overdosing on such drugs may result in symptoms such as:

- Severe side effects like fainting
- Dizziness
- Vision
- Problems
- Hearing problems
- Upset stomach

Therefore, immediately consult with your concerned doctor or seek help from any nearby emergency help center.



What is The Dosing Pattern of Fildena 150 mg?

Take a single pill of Fildena 100mg. One should follow the directions that are regulated by their expert doctors or professional medical advice. Medical professionals actively recommend the use of a 100mg dose for beginners who want to experience having sex since that is the passable safe amount of Fildena 100mg in a person's system. The dose depends on the weight, age, and also severity of the erection dysfunction condition.

What Are The Side Effects of Fildena 150mg?

The human body is very complex and no other human bodies are the same. When a medicine interacts with the body it reacts differently in every human body system. For some, it may suit, or for some, it may affect negatively. However, there are some commonly addressed side effects of Fildena 150 mg.

- Arm, back pain
- Jaw pain
- Chest pain
- Discomfort
- Tightness
- Heaviness
- Cold sweats
- Faintness or lightheadedness
- Pounding in the ears
- Fast or irregular heartbeats

What Are The Adverse Effects of Fildena 150mg?

Therefore, there are some adverse side effects of Fildena 150mg as some human bodies take some time to adjust to new chemicals. Following are the rare adverse side effects one may also experience.

- Priapism (painful erection)
- Low blood pressure
- Cardiovascular problems
- Heart attack
- Irregular heartbeat
- Stroke
- Bladder pain
- Burning feeling in the chest or stomach
- Cloudy or bloody urine
- Increased frequency of urination
- Pain while urination
- Stomach upset
- Tenderness in the stomach area

Who Should Avoid Fildena 150 mg?

There are certain precautions one should follow. Children from the age group of 1 to 17 should not use Fildena as it is not safe for medical use for them. Heart diseases and blood pressure-related

patients should also avoid the administration of Fildena 100mg tablets. Take the expert's advice before taking Fildena 100mg. Tell your complete medical history to your doctor before taking Fildena 100mg as depending on your medical background they can guide you with proper medications.

What Medicines to Avoid While Treating with Fildena 150mg?

Some combinations of medicines that interact with Fildena 100mg can adversely affect. Therefore, one should strictly avoid taking such medicines while treating with Fildena 100mg.

- Nitrates; nitroglycerin
- GC stimulators; Ricoguat
- ACE inhibitors; Benazepril
- High-Fat diet; Oily foods and red meat
-

What Are The Alternative Medicines for Fildena 150mg?

The alternative medicines for Fildena 100mg that treat erectile dysfunction, Antidepressant sexual impotence, Pulmonary hypertension, Raynaud's syndrome, High -altitude Pulmoedema are as follows:

- [Cenforce 100mg](#)
- [Abhiforce 100mg](#)
- [Sildigra 100mg](#)
- [Aurogra 100mg](#)

Summary

Fildena 150mg is the most effective as well as low in cost. It helps to keep and stay an erection for about three to four hours. If Fildena 150 mg is administered with the food you may experience some delay in the working mechanism but it is effective. Fildena 150 mg tablets generally take about half an hour to work. It is easily available and affordable online. You can take Fildena 150mg tablets every day depending on your need. Experts recommend following proper medical counsel before consuming Fildena 150mg to keep yourself safe. Fildena 150mg is available at a low cost can you buy it from erospharmacy.com